L'annuaire du Collège de France

Cours et travaux

118 | 2020

Annuaire du Collège de France 2017-2018

Dynamique et physiopathologie des réseaux neuronaux / *Dynamics and physiopathology of neuronal networks*

Centre interdisciplinaire de recherche en biologie (CIRB)

Laurent Venance

Electronic version

URL: <https://journals.openedition.org/annuaire-cdf/16178>

DOI: 10.4000/annuaire-cdf.16178

ISBN: 978-2-7226-0572-5

ISSN: 2109-9227

Publisher

Collège de France

Printed version

Date of publication: 30 December 2020

Number of pages: 668-669

ISBN: 978-2-7226-0516-9

ISSN: 0069-5580

Electronic reference

Laurent Venance, "Dynamique et physiopathologie des réseaux neuronaux / *Dynamics and physiopathology of neuronal networks*", *L'annuaire du Collège de France* [Online], 118 | 2020, Online since 01 April 2021, connection on 22 August 2022. URL: <http://journals.openedition.org/annuaire-cdf/16178> ; DOI: <https://doi.org/10.4000/annuaire-cdf.16178>

All rights reserved

tensions, and morphogenesis is well captured by a quasi-static mechanical description, as we recently proposed for compaction and for the formation of the inner-cell mass in the mouse embryo (Maître, Turlier *et al.*, 2016). At the opposite, most non-mammalian embryo types, such as marine animals or insects, develop on much shorter timescales, of the order of a few hours. In this case, viscous dissipation becomes essential to consider again as it constitutes a main factor limiting cell shape dynamics (Turlier *et al.*, 2014). On such timescales, the biophysical characterization and precise modeling of cell divisions and its mechanical coupling to the rest of the embryo is an essential point that we aim to integrate into realistic simulations of embryo morphogenesis.

Références citées

TURLIER H., AUDOLY B., PROST J. et JOANNY J.-F., « Furrow constriction in animal cell cytokinesis », *Biophysical Journal*, vol. 106, n° 1, 2014, p. 114-123, DOI : 10.1016/j.bpj.2013.11.014.

MAÎTRE J.-L., TURLIER H., ILLUKKUMBURA R., EISMANN B., NIWAYAMA R., NÉDÉLEC F. et HIIRAGI T., « Asymmetric division of contractile domains couples cell positioning and fate specification », *Nature*, vol. 536, n° 7616, 2016, p. 344-348, DOI : 10.1038/nature18958.

DYNAMIQUE ET PHYSIOPATHOLOGIE DES RÉSEAUX NEURONAUX / DYNAMICS AND PHYSIOPATHOLOGY OF NEURONAL NETWORKS

Responsable : Laurent VENANCE

RECHERCHE

Page web : <https://www.college-de-france.fr/site/en-cirb/venance.htm>.

Our main interest is how neural networks of the brain support its cognitive capacities. We aim at providing rational mechanistic explanations of adaptive control of behavior. Procedural learning corresponds to the acquisition of skills through repeated performance and practice of a behavior in response to external cues, such as biking or playing an instrument. Basal ganglia, a set of subcortical nuclei, participate in the detection of environmental cues and in the selection of appropriate actions based on motivation and reward, thanks to their reciprocal connections to the cerebral cortex and limbic system. Cortex-basal ganglia loops are involved in the adaptive control of behavior and are the main substrate for procedural learning. We therefore focus our work on dissecting the processing of information in cortico-basal ganglia circuits, from sub-cellular to neural network levels. The key roles of basal ganglia are highlighted by motor and cognitive disorders observed in pathologies such as Parkinson diseases, for which no fully satisfying treatments are available yet.

Our main focus is about the role of the striatum, the primary input nucleus of basal ganglia, which is a strategic gate extracting pertinent information and a major site of memory formation. Indeed, striatum acts as a coincidence detector of distributed patterns of cortical and thalamic activity and is in charge to extract pertinent information from background noise at a t time in a given situation, which will give

rise to an action in adequation with the environment. Our first aim was to investigate the biological processes at play to set the striatal filter which allows this proper signal/noise detection. The strenght of the striatal filter depends mainly on the corticostriatal synaptic efficacy changes. Corticostriatal long-term plasticity provides a fundamental mechanism for the function of the basal ganglia in action selection and in procedural learning. Our last publications focused on the characterization of striatal synaptic plasticity repertoire at play in physiological and pathophysiological conditions.

PUBLICATIONS

XU H., PEREZ S., CORNIL A., DETRAUX B., PROKIN I., CUI Y., DEGOS B., BERRY H., DE KERCHOVE D'EXAERDE A. et VENANCE L., « Dopamine-endocannabinoid interactions mediate spike-timing-dependent potentiation in the striatum », *Nature Communications*, vol. 9, n° 1, 2018, 4118, DOI : 10.1038/s41467-018-06409-5.

FINO E., VANDECASTEELE M., PEREZ S., SAUDOU F. et VENANCE L., « Region-specific and state-dependent action of striatal GABAergic interneurons », *Nature Communications*, vol. 9, n° 1, 2018, 3339, DOI : 10.1038/s41467-018-05847-5.

VIGNOUD G., VENANCE L.* et TOUBOUL J.D.*, « Interplay of multiple pathways and activity-dependent rules in STDP », *PLoS Computational Biology*, vol. 14, n° 8, 2018, e1006184, DOI : 10.1371/journal.pcbi.1006184. *Co-senior authors

CUI Y., PEREZ S. et VENANCE L., « Endocannabinoid-LTP mediated by CB1 and TRPV1 receptors encodes for limited occurrences of coincident activity in neocortex », *Frontiers in Cellular Neuroscience*, vol. 12, 2018, 182, DOI : 10.3389/fncel.2018.00182.

DE BACKER J.-F., MONLEZUN S., DETRAUX B., GAZAN A., VANOPDENBOSCH L., CHERON J., CANNAZZA G., VALVERDE S., CANTACORPS L., NASSAR M., VENANCE L., VALVERDE O., FAURE P., ZOLI M., DE BACKER O., GALL D., SCHIFFMANN S.N. et DE KERCHOVE D'EXAERDE A., « Deletion of Maged1 in mice abolishes locomotor and reinforcing effects of cocaine », *EMBO Reports*, vol. 19, n° 9, 2018, DOI : 10.15252/embr.201745089.

CUI Y., PROKIN I., MENDES A., BERRY H. et VENANCE L., « Robustness of STDP to spike timing jitter », *Scientific Reports*, vol. 8, n° 1, 2018, 8139, DOI : 10.1038/s41598-018-26436-y.

NELSON M.J., VALTCHEVA S. et VENANCE L., « Magnitude and behavior of cross-talk effects in multichannel electrophysiology experiments », *Journal of Neurophysiology*, vol. 118, n° 1, 2017, p. 574-594, DOI : 10.1152/jn.00877.2016.

VALTCHEVA S., PAILLÉ V., DEMBITSKAYA Y., PEREZ S., GANGAROSSA G., FINO E. et VENANCE L., « Developmental control of spike-timing-dependent plasticity by tonic GABAergic signaling in striatum », *Neuropharmacology*, vol. 121, 2017, p. 261-277, DOI : 10.1016/j.neuropharm.2017.04.012.

FONCELLE A., MENDES A., JĘDRZEJEWSKA-SZMEK J., VALTCHEVA S., BERRY H., BLACKWELL K.T. et VENANCE L., « Modulation of spike-timing dependent plasticity: Towards the inclusion of a third factor in computational models », *Frontiers in Computational Neuroscience*, vol. 12, 2018, p. 49, DOI : 10.3389/fncom.2018.00049.